

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/14/2016

Revision date: 03/18/2022

Supersedes: 05/10/2017

Version: 3.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Freez-Kontr'l 50 (4188-17)

#### 1.2. Recommended use and restrictions on use

Recommended use : Heat Transfer Fluids  
Restrictions on use : No additional information available

#### 1.3. Supplier

Nu-Calgon  
2611 Schuetz Rd  
St Louis, MO 63043  
T 314-469-7000 / 800-554-5499

#### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 (Chemtrec)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Gently wash with plenty of soap and water.  
First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water.  
First-aid measures after ingestion : Call a POISON CENTER/doctor if you feel unwell. Drink plenty of water.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Inhalation of vapours may cause respiratory irritation.  
Symptoms/effects after skin contact : May cause slight irritation.  
Symptoms/effects after eye contact : May cause slight irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# Freez-Kontr'I 50 (4188-17)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : AFFF. Water fog. Water spray. Small fires: Dry chemical. Carbon dioxide. Sand.  
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : No particular fire or explosion hazard.  
Reactivity : No dangerous reactions known.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Cool adjacent structures and containers with water spray to protect and prevent ignition. Do not allow run-off from fire fighting to enter drains or water courses.  
Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist. Ensure adequate ventilation. Use personal protective equipment as required.

##### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.  
Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.  
Emergency procedures : Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.

#### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety procedures. Use personal protective equipment as required.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.  
Incompatible products : Strong acids. Strong bases. Strong oxidizers.  
Heat and ignition sources : Keep away from heat, sparks and flame.  
Storage area : Store in dry, cool, well-ventilated area.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid splashing. Ensure good ventilation of the work station.  
Environmental exposure controls : Prevent leakage or spillage.

# Freez-Kontr'I 50 (4188-17)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

It is a good industrial hygiene practice to minimize skin contact. Use rubber gloves. PVC

#### Eye protection:

In case of splashing or aerosol production: protective goggles.

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved organic vapour respirator

#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                       |
|--|-----------------------|
| Physical state                             | : Liquid              |
| Appearance                                 | : Clear.              |
| Colour                                     | : Colourless          |
| Odour                                      | : odourless           |
| Odour threshold                            | : No data available   |
| pH   | : 9.8 - 10.3          |
| Melting point                              | : No data available   |
| Freezing point                             | : -50 - 5 °C          |
| Boiling point                              | : >= 100 °C           |
| Flash point                                | : 123.9 °C            |
| Relative evaporation rate (butylacetate=1) | : No data available   |
| Flammability (solid, gas)                  | : No data available   |
| Vapour pressure                            | : < 0.1 mm Hg @ 20 °C |
| Relative vapour density at 20 °C           | : No data available   |
| Relative density                           | : No data available   |
| Solubility                                 | : No data available   |
| Log Pow                                    | : No data available   |
| Auto-ignition temperature                  | : 371 °C              |
| Decomposition temperature                  | : No data available   |
| Viscosity, kinematic                       | : No data available   |
| Viscosity, dynamic                         | : No data available   |
| Explosive limits                           | : No data available   |
| Explosive properties                       | : No data available   |
| Oxidising properties                       | : No data available   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

# Freez-Kontr'I 50 (4188-17)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Heat.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates : alcohols. Organic acids. Aldehydes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                                     |   |
|-------------------------------------|---|
| Acute toxicity (oral)               | : Not classified  |
| Acute toxicity (dermal)             | : Not classified  |
| Acute toxicity (inhalation)         | : Not classified  |
| Skin corrosion/irritation           | : Not classified  |
| Serious eye damage/irritation       | : Not classified  |
| Respiratory or skin sensitisation   | : Not classified  |
| Germ cell mutagenicity              | : Not classified  |
| Carcinogenicity                     | : Not classified  |
| Reproductive toxicity               | : Not classified  |
| STOT-single exposure                | : Not classified  |
| STOT-repeated exposure              | : Not classified  |
| Aspiration hazard                   | : Not classified  |
| Viscosity, kinematic                | : No data available                                       |
| Likely routes of exposure           | : Inhalation.   |
| Symptoms/effects after inhalation   | : Inhalation of vapours may cause respiratory irritation. |
| Symptoms/effects after skin contact | : May cause slight irritation.                            |
| Symptoms/effects after eye contact  | : May cause slight irritation.                            |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : No ecotoxicological data about this product are known.

### 12.2. Persistence and degradability

| Freez-Kontr'I 50 (4188-17)    |                           |
|-------------------------------|---------------------------|
| Persistence and degradability | inherently biodegradable. |

### 12.3. Bioaccumulative potential

| Freez-Kontr'I 50 (4188-17) |                                      |
|----------------------------|--------------------------------------|
| Bioaccumulative potential  | Does not biaccumulate significantly. |

### 12.4. Mobility in soil

| Freez-Kontr'I 50 (4188-17) |   |
|----------------------------|---|
| Ecology - soil             | Dissolves in water. If products enter soil, will be highly mobile and may contaminate ground water. |

### 12.5. Other adverse effects

Other information : No additional information available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|                                 |   |
|---------------------------------|---|
| Sewage disposal recommendations | : Do not dispose of waste into sewer.                                     |
| Waste disposal recommendations  | : Dispose in a safe manner in accordance with local/national regulations. |

# Freez-Kontr'l 50 (4188-17)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

###### Freez-Kontr'l 50 (4188-17)

All ingredients are listed in the Domestic Substances List (DSL).

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/18/2022

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Abbreviations and acronyms:

|  |   |
|--|---|
|  | ATE: Acute Toxicity Estimate  |
|  | CAS (Chemical Abstracts Service) number   |
|  | EC50: Environmental Concentration associated with a response by 50% of the test population. |
|  | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).              |
|  | LD50: Lethal Dose for 50% of the test population  |
|  | OSHA: Occupational Safety & Health Administration   |
|  | STEL: Short Term Exposure Limits  |


# Freez-Kontr'I 50 (4188-17)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |                                    |
|--|------------------------------------|
|  | TSCA: Toxic Substances Control Act |
|  | TWA: Time Weighted Average         |

- NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.
- NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Indication of changes:  
General information.

**SDS Prepared by:** The Redstone Group  
6077 Frantz Rd.  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*