

4291-18

Aerosol Nu-Brite® is a convenient option for effective cleaning of grimy, dirt loaded condenser coils. Its high foaming characteristic pushes soil deposits out of the coil and leaves a clean, brightened coil. Product is not recommended for painted fin or microchannel coils - Use Aerosol Tri-Pow'r®HD, Cal-Blast®, or Nu-Blast®. Aerosol Nu-Brite can also be used in a kitchen setting with proper provisions. It is highly effective in emulsifying stubborn, oil-based deposits that can plug coils located in kitchens. In this application, the product must be used where ample ventilation exists. In all applications, Aerosol Nu-Brite must be thoroughly rinsed.

DO NOT USE ON INDOOR EVAPORATOR COILS.

AFFECT ON ROOFING MATERIAL: Depending on its composition and condition, the color and finish of the roofing material can be affected by the coil cleaners (e.g. discoloration or tarnishing) It is recommended that the coil cleaner be tested on a small area of the roof prior to cleaning, particularly galvanized or standing seam metal roofs. Do not use on aluminum for aluminum-coated surfaces.

RUBBER ROOFS: In general, the product is safe on rubber roofs except where the rubber roof is impregnated with aluminum chips (i.e. modified bitumen roof); do not use on rubber roofs that contain aluminum. In these circumstances, use Nu-Blast®, Cal-Blast®, Blackhawk™ or Aerosol Tri-Pow'r HD - first evaluate in a small area.

DIRECTIONS FOR USE:

This product must be used in accordance to the following directions by HVACR professionals only.

1. Prior to use, insure area has adequate ventilation.
2. Use goggles, gloves, and other protective clothing.
3. Shut off and protect sensitive controls or contacts with plastic.
4. Apply Aerosol Nu-Brite to coil or other greasy surface, and allow it to emulsify deposits for about 5 minutes. For heavily soiled or very greasy deposits, wait up to 10 minutes.
5. Rinse thoroughly to insure adequate flushing.
6. For coils, apply Cal-Shield® coating for added corrosion protection.

Nu-Brite®

CONDENSER COIL CLEANER

Heavy Duty Cleaning Power

**Powerful Foaming Action
Option for Kitchen Areas
Requires Rinsing**



DANGER

Contains gas under pressure; may explode if heated.
May be corrosive to metals.
Causes severe skin burns and eye damage.

PREVENTION: Keep only in original packaging. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Absorb spillage to prevent material damage.

RESPONSE: If swallowed: Rinse mouth. Do NOT induce vomiting. **If on skin (or hair):** Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. **If inhaled:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

STORAGE: Stored locked up. Keep out of reach of children. Protect from sunlight. Store in a well-ventilated place. Store in a corrosion resistant container with a resistant liner.

DISPOSAL: Dispose of contents/container in accordance with local/regional/international regulations.

Contains (CAS#): Water (7732-18-5), Sodium Hydroxide (1310-73-2), Monoethanolamine (141-43-5), and Liquefied Petroleum Gas (68476-86-8).



Made in the U.S.A.
Manufactured for:
Nu-Calgon
2611 Schuetz Rd.
St. Louis, MO 63043

Customer Service: 800-554-5499
Chemical Emergency: 800-424-9300
www.nucalgon.com
(818) Calgon is a licensed trade name.



DANGER:

**CAUSES SEVERE
SKIN BURNS AND
EYE DAMAGE.**

**CONTENTS UNDER
PRESSURE.**

**KEEP OUT OF REACH
OF CHILDREN.
Read carefully other
cautions on back panel.**

**FOR PROFESSIONAL
USE ONLY**

NET WT. 18 OZ. (510 GRAMS)