This ultra fast drying silicone spray is formulated specifically for the needs of the ice machine and food industries. This medium viscosity formula provides light lubrication for ice machines, coin slots, guides. belts, slicing machines, ovens, mixers, grinders and other processing equipment. This product is ideal for use as a lubricant with incidental food contact when used in compliance with 21 CFR 178.3570. Applicable areas include those such as knives, cutting tables and blades, conveyor system maintenance, bottling and canning machinery, bakery equipment, dairy equipment, feed racks, in bars and restaurants, and virtually any equipment or machinery in or near food related areas. In addition, this product meets requirements for use in federally inspected meat and poultry plants. This silicone meets 21 CFR 175.300 for Resinous and Polymeric Coatings intended for use in producing. manufacturing, packing, processing, preparing, treating, packaging, transporting, or holding food. The silicone is colorless, odorless, heat stable and nonstaining. This hexane-free and low VOC formula contains no ozone depleters, carcinogens, or chlorinated solvents. In addition, the fan spray pattern reduces overspray and waste.

DIRECTIONS FOR USE:

This product must be used in accordance to the following directions by HVACR professionals only.

Remove cap and rotate actuator to dot on valve cup. Hold can upright and spray onto desired surface from a distance of 12-14 inches. Spray in a sweeping side-to-side motion. Any accumulation will rapidly dry out unassisted. Avoid using in areas where paint is being applied.

IMPORTANT: This product will damage some plastics and painted surfaces. Do not allow product to pool on surfaces and protect surrounding area from slippery overspray when needed. Always test in an inconspicuous area if unsure of material compatibility.

NOTE: This product is not intended for use as a food additive.

CAS NUMBERS: Acetone 67-64-1; Naphta 64742-49-0; Petroleum gases 68476-86-8; Siloxanes 63148-62-9; Carbon dioxide 124-38-9; Heptane 142-82-5.









DANGER

HAZARD STATEMENT - Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENT - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves. Wear eye protection/face protection. Avoid breathing mist or vapour. Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Immediately call a POISON CENTRE/doctor, Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water. Specific treatment (see information on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.





Made in the U.S.A. • Nu-Calgon 2611 Schuetz Rd. • St. Louis, MO 63043 Customer Service: 800-554-5499 Chemical Emergency: 800-424-9300 www.nucalgon.com (418) Calgon is a licensed trade name. 4084-03



Food Grade Silicone

FAST DRYING SILICONE SPRAY

Formulated Specifically for Ice Machines
& Food Processing Equipment

Prevents Sticking and Binding in:
Ice Machines
Feed Racks and Conveyers
Dairy Machinery
Processing Equipment
and Coin Slots

DANGER:

EXTREMELY
FLAMMABLE.
HARMFUL OR FATAL
IF SWALLOWED.
CONTENTS LINDER

CONTENTS UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN. See back panel for additional precautionary

statements.

FOR PROFESSIONAL USE ONLY

NET WT. 11 OZ. (312 GRAMS)