

4082-03

**Nu-Calgon**

# Electrical Contact Cleaner


FOR HVACR COMPONENTS

LABEL OVERLAP ZONE

High Solvency Cleaning Power

Sprays from All Angles

Dries Fast, No Residue



**DANGER**  
EXTREMELY FLAMMABLE.  
PRESSURIZED CONTAINER.

For Professional Use Only.  
Keep Out Of Reach Of Children.

Net Wt. 11oz.  
(312 Grams)

**FEATURES:**

This fast-drying, residue-free formulation is compatible with plastic components and painted surfaces, making it ideal for precision cleaning of contacts, circuit boards, switches, motors, and instruments. Its powerful blasting spray removes oil, flux, and dirt while containing no CFCs, HCFCs, or other ozone-depleting substances. For safety, use only on de-energized components and equipment, and always allow to dry and evacuate fumes before restoring power.

**DIRECTIONS:**

For use by HVACR professionals only.



Wear protective clothing and eyewear.



Deenergized/disconnect equipment power.



Shake well. For confined or precise spots: insert 6" extension tube fully into valve opening, then spray directly onto the area. For large surfaces: aim spray tip at target area and press button.



Allow to dry and evacuate fumes before power is returned.

**NOTE:** Sudden temperature drop can result in "thermal shock" which may cause crazing of some sensitive plastics. While overspray is compatible with plastic components and painted surfaces, always test in an inconspicuous area before general use if compatibility of specific plastic composition is uncertain. Accumulated vapors from this product may reach ignition conditions in confined spaces. Always use with adequate ventilation.



**DANGER**

Extremely flammable aerosol. Pressurized container; may burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer.

**PREVENTION:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing mist. Wash hands, forearms and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

**RESPONSE:** IF exposed or concerned: Get medical advice or attention. **IF SWALLOWED:** Immediately call a POISON CENTER or a doctor. Do NOT induce vomiting. **IF ON SKIN:** Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or a doctor if you feel unwell.

**STORAGE:** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**DISPOSAL:** Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**KEEP OUT OF REACH OF CHILDREN**

**CONTAINS (CAS#):** Difluoroethane (75-37-6), n-Heptane (142-82-5), Aliphatic, Light Hydrocarbon Solvent (64742-89-8), Heptane, Branched, Cyclic and Linear (426260-76-6), VM & P Naphtha (64742-49-0), Benzene (71-43-2).

**WARNING:** This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Manufactured for: Nu-Calgon  
2611 Schuetz Rd.  
St. Louis, MO 63043  
Customer Service: 800-554-5499  
Chemical Emergency: 800-424-9300  
[www.nucalgon.com](http://www.nucalgon.com)  
Calgon is a licensed trade name.  
(1125)



MADE IN THE  
**USA**  
WITH GLOBALLY  
SOURCED MATERIALS

