

SAFE FOR APPLICATIONS IN FOOD PROCESSING AREAS: CalClean is a safe and effective cleaner for use in kitchen areas, excluding direct or indirect food contact surfaces. It should be used with precautions to cover or remove food products, and any food preparation surfaces cleaned with it should be rinsed with potable water before use.

DILUTION RATIO	
Heavy Duty	4:1
Medium Duty	6:1
Routine Maintenance	8:1
No Rinse Evaporator	10:1

Recommended to use Nu-Calgon's 50P sprayer (4770-0)

COIL GUN® SETTINGS	
Heavy Duty	Set Dial to B
Medium Duty	Set Dial to C
Routine Maintenance	Set Dial to D

Recommended to use Nu-Calgon's Coil Gun (4774-0)



Nu-Calgon
2611 Schuetz Rd.
St. Louis, MO 63043
Customer Service: 800-554-5499
Chemical Emergency: 800-424-9300
www.nucalgon.com
(0125) Calgon is a licensed trade name.

FEATURES: CalClean® is designed to effectively clean grease, grime, and other common soils from HVAC coils. Safe for use in kitchens with no fragrance, it is ideal for various commercial applications such as refrigerators, coolers, and freezers. This versatile cleaner is suitable for microchannel coils as well as tube and fin.

APPLICATIONS:

- Condenser and Evaporator Coils
- Kitchen Equipment
- Walk-in Coolers and Freezers
- Metal Grills, Exhaust Hoods, and Washable Filters



DIRECTIONS: For use by HVACR professionals only:

Turn off or disconnect unit power and clear away heavy dirt from the coil.

Wear goggles, gloves and other protective garments. Mix CalClean cleaning solution according to dilution chart and apply to coil.

Wait 5-10 minutes before rinsing coil.

Evaporator – No rinse if condensation is available. Condenser and other applications – Rinse with water.

For heavy soils, repeat application if necessary.

Return unit to operation.

4135-08

Nu-Calgon



Nonfood Compounds
A1, M4

Detergent Based Degreaser and Cleaner

Safe for Food Processing Areas

Multi-Purpose Cleaner



For Professional Use Only.
Keep Out Of Reach Of Children.

1 U.S. Gallon (3.8 Liters)

AFFECT ON ROOFING MATERIAL: Depending on its composition and condition, the color and finish of roofing material can be affected by coil cleaners (e.g. discoloration or tarnishing). It is recommended that the coil cleaner be tested on a small area of the roof prior to cleaning, particularly galvanizing or standing seam metal roofs.

RUBBER ROOFS: In general, the product is safe on rubber. Where the rubber roof is impregnated with aluminum chips (i.e. modified bitumen roof), we recommend testing a small test area.



DANGER
May be corrosive to metals.
Causes severe skin burns and eye damage.

PREVENTION: Keep only in original packaging. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

RESPONSE: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Absorb spillage to prevent material-damage.

STORAGE: Store locked up. Store in a corrosion resistant container with a resistant inner liner.

DISPOSAL: Dispose of container in accordance with local, regional, national and international regulations.

KEEP OUT OF REACH OF CHILDREN.

CONTAINS (CAS#): Water (7732-18-5), Undeceth-7 (34398-01-1), Tetrasodium EDTA (64-02-8), Sodium Metasilicate (6834-92-0), Sodium Xylene Sulfonate (1300-72-7), Alcohol Ethoxylates, Sodium Polyacrylate, Undecan-1-0l, ethoxylated, Sodium Hydroxide, Trisodium Nitrotriacetate, Colorant.