



Cal-Blue+ is formulated to find the smallest leaks in your system. Discover the exceptional performance of Cal-Blue+, one of the most versatile gas leak detectors for detecting even the tiniest gas leaks with precision and efficiency. The unique formulation is non-corrosive and engineered to meet the needs of today's service technicians. Trust Cal-Blue+ to ensure confidence when gas leak detection is required.

FEATURES

Long-Lasting Bubbles: Extended bubble life ensuring reliable detection of gas leaks.

Surface Adhesion: High viscosity formulation clings to surfaces for superior contact time, enabling the detection of the smallest leaks in the system.

Ideal for Food Processing Areas: Safe for use in and around food processing areas. Note: Remove or cover all food products during use.

Versatile Application: Works with all refrigerants including A2L, natural gas, and oxygen.

Compatible with Fluorescent Dyes: Suitable for use on systems utilizing fluorescent dyes, without causing interference with ultraviolet or blacklight detection.

Freeze Protection: Resistant to freezing at temperatures as low as 5°F and capable of withstanding temperatures up to 225°F

Non-Corrosive, Biodegradable, and Freeze Thaw Stable: The most advanced gas leak detection formula on the market!



4182-24



Cal-Blue+

MICRO GAS LEAK DETECTOR



For All Refrigerant Systems

Freeze Protected to 5°F

Detects Microscopic Leaks

For Professional Use Only.
Keep Out Of Reach Of Children.

32 fl. oz. (1 Quart) (946mL)

DIRECTIONS: For use by HVACR professionals only



Prepare Surface: Ensure the system is pressurized and all safety measures are in place.



Application: Liberally spray a uniform coating on surfaces suspected of leaks.



Visual Inspection: Look for signs of white foam or formation of small bubbles.



Patience is Key: Bubbles will form instantly in most applications. For micro leaks, allow 5 minutes for the solution to work.



Check Fittings: Inspect the bottom of all fittings for foam or small bubbles.



Response to Leaks: If a leak is detected, consider using Nu-Calgon's EasySeal if the situation is appropriate.



Sprayer Tip: Twist the sprayer tip to the off position when not in use.

PREVENTION: Observe good industrial hygiene practices.

RESPONSE: Wash hands after handling.

STORAGE: Store away from incompatible materials.

DISPOSAL: Dispose of waste and residues in accordance with local authority requirements.

KEEP OUT OF REACH OF CHILDREN.

CONTAINS: Propylene Glycol (CAS# 57-55-6).



Nonfood Compounds
P1

Nu-Calgon
2611 Schuetz Rd.
St. Louis, MO 63043
Customer Service: 800-554-5499
Chemical Emergency: 800-424-9300
www.nucalgon.com
(0524) Calgon is a licensed trade name.